Page: 1 PRODUCT NAME: ColorTec 500 (WTB) Part A Revision Date: 03/20/2018



SAFETY DATA SHEET

SECTION 1 Product and Company Identification Product

Product Name: <u>ColorTec 500 (WTB) Part A</u> Product Description: Pigmented Thick Build Epoxy 100% Solids / Part A Intended Use: High performance interior epoxy floor coating / resin

Company

Manufacturer: SureCrete Design Products, Inc. 15246 Citrus Country Drive Dade City, FL 33523 USA Contact: 1-352-567-7973 (telephone general) 1-800-262-8200 Chemtrec +1 703-741-5500 Chemtrec International info@surecretedesign.com (e-mail) 1-352-521-0973 (facsimile)

SECTION 2 Hazards Identification

Classification of substance or mixture:

GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)

Skin corrosion/irritation	Category 3	H315
Serious eye damage/eye irritation	Category 2B	H320
Skin sensitizer	Category 1	H317

GHS Label Elements:

Hazard Symbol:



Signal Word: Warning

Label Hazard Statements:

- H315: Causes skin irritation.
- H316: May cause mild skin irritating.
- H320: May cause eye irritating.
- H317: May cause allergic skin reaction.

Label Precautionary Statements:

P280: Wear protective gloves/clothing and eye/face protection.

P332+337+350+313: If skin/eyes irritation occurs, wash with plenty of soap and water and get medical advice/attention.

P410+403: Store container tightly closed in well-ventilated place.



P273: Avoid release to the environment.

Hazard Ratings

	health	flammability	reactivity
HMIS	1	1	0
NFPA	1	1	0

SECTION 3 Composition / Information on Ingredients

This material is regulated as a mixture

Ingredient	CAS #	EC#	% (by weight)
Hazardous			
Bisphenol-A epoxy resin	25068-38-6	NE	<87%
Glycidyl ether C12-C14 alcohols	68609-97-2	271-846-8	<19%
Titanium Dioxide*	13463-67-7	NE	<16%
Aluminum hydroxide*	21645-51-2	NE	<2%
Silicon dioxide, amorphous*	7631-86-9	NE	<2%
Non Hazardous			
	Trade secret		<3%

*Note: These ingredients provide no hazard as offered in completed product. They cannot become airborne dust, as they are in fluid solution.

The exact percentage (concentration) of composition has been withheld as a trade secret.

SECTION 4 First Aid Measures

Inhalation: Move to fresh air. Seek medical advice if symptoms persist.

Skin Contact: Wash contact areas with soap and water. Remove contaminated clothing. Launder contaminated clothing before reuse.

Eye Contact: Flush thoroughly with water. Seek medical advice.

Ingestion: Seek immediate medical attention. Do not induce vomiting. If vomiting occurs, keep head low so that stomach content does not get into the lungs.

Note to Physician: No further relevant information available.

SECTION 5 Fire Fighting Measures

Appropriate Extinguishing Media: Foam, CO₂, Dry chemical, water spray or fog.

Inappropriate Extinguishing Media: Solid streams of water; high pressure water jet.

Fire Fighting Instructions: Wear self-contained breathing apparatus. Wear protective equipment.

Unusual Fire Hazards: Formation of toxic gases is possible during heating or in case of fire.

SECTION 6 Accidental Release Measures Personal Precautions, Protective Equipment, Emergency Procedures: Keep away ignition sources. Wear Page: 3 PRODUCT NAME: ColorTec 500 (WTB) Part A Revision Date: 03/20/2018



suitable protective equipment.

Methods and Materials for Containment and Clean-up: Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Clean the affected area carefully; suitable cleaners are: Warm water. Dispose of as hazardous waste.

Environmental precautions: Do not allow to enter drainage system, surface or ground water.

SECTION 7 Handling and Storage

Handling: Ensure good ventilation/suction at the workplace. Avoid open flames and sources of ignition.

Storage: Keep away from food and drink. Keep container tightly sealed. Store containers in a well ventilated area.

SECTION 8 Exposure Control / Personal Protection

Engineering controls: Ensure for good ventilation/suction.

Exposure limit values:

Component	Value	Value / Source		
Titanium Dioxide*	TWA	1 mg/m ³	Respirable dust	JSOH OELs
13463-67-7				(05 2009)
Titanium Dioxide*	TWA	4 mg/m ³	Total dust	JSOH OELs
13463-67-7				(05 2009)
Titanium Dioxide*	TWA	10 mg/m ³	No data available	US ACGIH
13463-67-7				(2011)

*Note: These ingredients provide no hazard as offered in completed product. They cannot become airborne dust, as they are in fluid solution.

Control parameters: None.

Personal Protection:

Respiratory protection: Suitable breathing mask when there is inadequate ventilation.

Hand protection: Suitable protective gloves, glove material has to be impermeable and resistant to the product.

Eye protection: Protective goggles.

Skin and body protection: Suitable protective clothes and boots.

SECTION 9 Physical and Chemical Properties

General

Appearance: Liquid Color: Whitish Odor: Mild

Safety Data

pH: No data available Melting point: No data available Boiling point: Not applicable



Flash point: >142 °C / 288 °F Evaporation rate: Not applicable Flammability (solid, gas): Not applicable Explosive limits: Not applicable Vapor pressure: Not applicable Vapor density: Not applicable Relative density: (20 °C / 68 °F) 1.16g/cm3 Solubility(ies): (20 °C / 68 °F) practically insoluble in water. Partition coefficient: Not applicable Auto-ignition temperature: 235 °C /455 °F Decomposition temperature: Not applicable Viscosity: (25 °C / 77 °F) 12000~15000cps

SECTION 10 Stability and Reactivity

Stability: Stable under normal conditions.

Reactivity: Not available.

Conditions to avoid: Avoid static electricity discharge.

Materials to avoid: Strong acid, strong base, strong oxidizer and amines.

Hazardous decomposition products: In fire toxic fumes may be generated. Carbon monoxide and carbon dioxide.

SECTION 11 Toxicological Information Route of Exposure

Eye contact: Irritating to eyes. **Skin contact:** Irritating to skin.

Component Information

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Bisphenol-A epoxy resin 25068-38-6	10000 ~ 11400 mg/kg	No data available	No data available
Glycidyl ether C12-C14 alcohols 68609-97-2	19200 mg/kg (Rat)	> 4500 mg/kg (Rabbit)	No data available
Titanium Dioxide 13463-67-7	5000 mg/kg (Rat)	No data available	>6.82 mg/L (Rat) 4 h

Carcinogenic categories:

IARC (International Agency for Research on Cancer) Substance is not listed. NTP (National Toxicology Program) Substance is not listed. Page: 5 PRODUCT NAME: ColorTec 500 (WTB) Part A Revision Date: 03/20/2018



SECTION 12 Ecological Information

Biological degradability: Not readily biodegradable.

Bio accumulative potential: No data available.

Eco toxicity: Toxic to aquatic organisms. (LC50 between 1 and 10 mg/L)

Other adverse effects: None known.

SECTION 13 Disposal Considerations

Disposal instructions: Dispose of contents/container in accordance with local/regional/national/international regulations.

Section 14 Transport Information

DOT: This product is not regulated for transport. **ARD/RID:** This product is not regulated for transport. **IMDG:** This product is not regulated for transport. **IATA:** This product is not regulated for transport.

SECTION 15 Regulatory Information

US federal regulations:

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D): Not regulated.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050): Not listed

CERCLA Hazardous Substance List (40 CFR 302.4): Not listed

Superfund Amendments and Reauthorization Act of 1986 (SARA) Hazard categories: Not listed SARA 302 Extremely hazardous substance: Not listed. SARA 311/312 Hazardous chemical: No SARA 313 (TRI reporting): Not listed

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List: Not listed Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130): Not regulated.

Clean Water Act (CWA) Section 112(r) (40 CFR68.130): Not listed Safe Drinking Water Act (SDWA): Not listed

SECTION 16 Other Information

Recommended restriction: for use by trained professionals, having read the complete SDS.

To the best of our knowledge the information contained here is accurate. However, neither the above named manufacturer nor any of its distributors assumes any liability whatsoever for the accuracy or the completeness of the

Page: 6 PRODUCT NAME: ColorTec 500 (WTB) Part A Revision Date: 03/20/2018



information contained herein. Final determination of the suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.